

	Type	Hits	Search Text	DBs
1	BRS	9054	362/578,577,103,104,110,111,116-120,157,188,190,197-208,269,270,285,287-289,370,371,393,397,398,421,422,427,437-439,457,458.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	5889	S2 and ((illuminat\$5 device) or light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	65983	((illuminat\$5 device) or light or lamp) and ((hold\$6 sleeve) or enclosure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	875	((illuminat\$5 device) or light or lamp) and ((hold\$6 sleeve) or enclosure) and ((remov\$6 or releas\$6) attachment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	14	((illuminat\$5 device) or light or lamp) and ((hold\$6 sleeve) or enclosure) and ((remov\$6 or releas\$6) attachment) and ((ball or univers\$6) joint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	2	((illuminat\$5 device) or light or lamp) and ((hold\$6 sleeve) or enclosure) and ((remov\$6 or releas\$6) attachment) and ((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	637	((illuminat\$5 device) or light or lamp) and ((hold\$6 sleeve) or enclosure) and ((ball or univers\$6) joint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	199	((illuminat\$5 device) or light or lamp) and ((hold\$6 sleeve) or enclosure) and ((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	637	S9 or S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	7	S2 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	1705	((illuminat\$5 device) or light or lamp) and ((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	45	((illuminat\$5 device) or light or lamp) and ((ball or univers\$6) joint) and magnet\$4 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	5657	362/197-208,269,270,285,287-289,393,397,398,421,422,427.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	6	S15 and ((ball or univers\$6) joint) and magnet\$4 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	6	S15 and ((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	0	articulate illumin\$6 (article or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	28173	illumin\$6 (article or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	1123	illumin\$6 (article or device) and sleeve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	16	S19 and ((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	5409	S19 and (novelty or articu\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	2	S22 and ((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	0	S2 and ((ball or univers\$6) joint) and magnet\$4 and (novelty or articul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	1	S2 and ((ball or univers\$6) joint) and magnet\$4 and (novelty or articul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

24	BRS	1	(lamp or light or illuminat\$5 device) ((ball or univers\$6) joint) and magnet\$4 and (novelty or articul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	-----	---	--	--

	Type	Hits	Search Text	DBs
25	BRS	4	(lamp or light or illuminat\$5 device) ((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	258	(lamp or light or illuminat\$5 device) and ((ball or univers\$6) joint) and magnet\$4 and (novelty or articul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	9054	362/578,577,103,104,110,111,116-120,157,188,190,197-208,269,270,285,287-289,370,371,393,397,398,421,422,427,437-439,457,458.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	11	S30 and (((ball or univers\$6) joint) and magnet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	149	S30 and ((ball or univers\$6) joint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	520	S30 and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	211	S30 and magnet\$4 and adjust\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	398	S30 and (novelty or articul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	172	S30 and (novelty or articul\$6) and adjust\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	11305	362/578,577,103,104,110,111,116-120,157,188,190,197-208,269,270,285,287-289,370,371,393,397,398,421,422,427,437-439,457,458,249,250,191,282.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	36	S38 and ((ball or univers\$6) joint) and batter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	167	S38 and ((ball or univers\$6) joint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	1100	S38 and batter\$4 and adjust\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	74	S38 and batter\$4 and adjust\$6 and ((stor\$5 or hold\$4) (casing or housing or sleeve))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	141	362/116.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	291	362/197.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	17	("4152757"   "4283661"   "5138538"   "5163748"   "5222806"   "5469346"   "5632552"   "5957564"   "5997165"   "6023819"   "6236622"   "6249089"   "6348766"   "6361184"   "6390648"   "D427703"   "D428177").PN.	US-PGPUB; USPAT; USOCR
42	BRS	0	("6736531").URPN.	USPAT
43	BRS	4066	((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	4352	portab\$6 ((illuminat\$5 device) or light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	4	S47 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	2933874	((illuminat\$5 device) or light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	1705	S47 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	199	S51 and ((hold\$6 sleeve) or enclosure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

49	BRS	177	S52 and @ad < "20020904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	-----	-----	--------------------------	--

	Type	Hits	Search Text	DBs
50	BRS	22	S52 not S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	5241	((ball or univers\$6) (joint or coupl\$5 or attachment)) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	2337	S55 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	251	S56 and ((hold\$6 sleeve) or enclosure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	219	S57 and @ad < "20020904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	105	((illuminat\$5 device) or light or lamp) with (storage (sleeve or casing or housing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	4	S47 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	1	S48 with (storage (sleeve or casing or housing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	45	S47 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	345525	S50 and (novelty or articul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	258	S47 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	213	S64 and @ad < "20020904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	45	S64 not S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	364	362/570,571,565,577,578,579.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	35	362/570,571,565,577,578,579.ccls. and (362/800.ccls. or 362/555.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	474335	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	116	S67 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	474302	S69 not S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	83	S70 not S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	66656	((ball or univers\$6) (joint or coupl\$5 or attachment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	1	S67 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	11310	362/578,577,103,104,110,111,116-120,157,188,190,197-208,269,270,285,287-289,370,371,393,397,398,421,422,427,437-439,457,458,249,250,191,282.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	188	S75 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	12	("3418461"   "3612853"   "4208703"   "4399498"   "4897768"   "5213412"   "5303133"   "5400234"   "5573329"   "5873651"   "6062703").PN.	US-PGPUB; USPAT; USOCR
74	BRS	0	("6669353").URPN.	USPAT
75	BRS	2934868	((illuminat\$5 device) or light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

76	BRS	10898	(casing or housing or body) with S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	-----	-------	--------------------------------------	--

	Type	Hits	Search Text	DBs
77	BRS	233	S80 with S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	IS&R	1	("4967323").PN.	USPAT
79	BRS	11	("1741264"   "1752343"   "2117967"   "3008040"   "3830230"   "4406040"   "4533982").PN.	US-PGPUB; USPAT; USOCR
80	BRS	18	("4967323").URPN.	USPAT
81	IS&R	1	("4533982").PN.	USPAT
82	BRS	8040	key (holder or ring or loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	3125588	S79 or S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	1974	S86 and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	14	S88 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	0	362/116.ccls. and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	141	362/116.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	66656	S73 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	2107	S69 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	4	S69 and S73 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	2453	S87 and S73 and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	47	S87 and S73 and magnet\$4 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	3	S87 and S73 and magnet\$4 and "40"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	2934868	((illuminat\$5 device) or light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	66656	((ball or univers\$6) (joint or coupl\$5 or attachment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	5249	S100 and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	48	S100 and magnet\$4 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	8	S100 and magnet\$4 and "40"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	56	S102 or S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	IS&R	1	("4533982").PN.	USPAT
101	BRS	2	("3008040").PN.	US-PGPUB; USPAT; USOCR
102	BRS	34	("4533982").URPN.	USPAT
103	BRS	28	("2298042"   "2493205"   "2530913"   "2591269"   "2611019"   "2680844"   "2823300"   "3265880"   "3323117"   "3323118"   "3539797"   "4274130"   "4325107"   "4357648"   "4458299"   "4530039"   "4533982").PN.	US-PGPUB; USPAT; USOCR
104	BRS	12	("4740874").URPN.	USPAT

105	BRS	11558	362/578,577,103,104,110,111,116- 120,157,188,190,197-208,269,270,285,287- 289,370,371,393,397,398,421,422,427,437- 439,457,458,249,250,191,282.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
-----	-----	-------	---	--



	Type	Hits	Search Text	DBs
106	BRS	3048202	((illuminat\$5 device) or light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
107	BRS	9793	((ball or univers\$6) joint) and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	2097	((ball or univers\$6) joint) and magnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	913	((ball or univers\$6) joint) and magnet and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	420022	S111 and (casing or housing or sleeve)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
111	BRS	657	S113 and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	10	S116 and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	1	S116 and "40"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	11	S116 and (S110 or "40"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB